

OFFICE OF
COUNTY AUDITOR
WEBSTER COUNTY
FORT DODGE, IOWA


C. A. KNUDSON
AUDITOR

12 July 1965

Dear Dilman:

Enclosed please find a copy of the Notice recently published
in the Dayton Review on the "Beaver Watershed" project.

Sincerely yours,


Alan Wooters
Deputy Auditor

PUBLIC NOTICE

Notice of Hearing on Drainage District No. 47, Proposed Establishment of Webster County, Iowa.

TO: Charles Hutchins, Frankie Hade, Cubbon Realty Co., C. August Anderson, Harold F. Johnson, J. W. Wilmers, John A. Peterson, C. A. Anderson, M. A. Anderson, Harold F. Johnson, Lloyd H. Swanson, Elmer V. Swanson, J. Wesley Swanson, Dwight W. Swanson, H. G. Carlson, Oscar T. Swanson, H. L. Bass, Warren A. Sayers, Mabel Sayers, Ralph C. Strand, Mabel T. Strand, J. Olger Strand, Ruth D. Strand, Fred E. Dahlin, J. P. Johnson, Lizzie Lindgren, Frank I. Johnson, Herman Nordeen, Esther B. Nordeen, Helen C. Anderson, Dorothy M. Lundquist, Margaret V. Stewart, Helge W. Thulin, F. E. Dahlin, Mildred Camelia Anderson, C. A. Anderson, J. W. Wilmers, John A. Peterson, Theodore Peterson, Georgia A. Peterson, E. C. Snively, Eva Snively, Delila L. Peterson, Esther C. Peterson, Edna L. E. Peterson, Anna Anderson, Ruben Walter Skoglund, Esther L. Skoglund, John Bjorkgren, Edward Burkgren, Martin J. Burkgren, Robert E. Carlson, Alice Carlson, R. W. Skoglund, Oliver R. Carlson, Webster County, and to all other persons to whom it may concern, including lien holders and the actual occupants of the land within said Drainage District.

You are hereby notified that the Webster County Board of Supervisors has entered into an agreement in advance with the Soil Conservation Service, U. S. Department of Agriculture, for the establishment, construction, improvement of Drainage District No. 47, Webster County, hereinafter also known as Beaver Watershed, and that the Board of Supervisors requested and appointed an engineer to report on the feasibility of the construction of said project; that said engineer's report is on file in the office of the Auditor of Webster County, Iowa, recommending the establishment of the district and construction of the repair and improvements in Drainage District No. 47. Said engineer's report was filed on the 11 day of January, 1965, recommending the establishment, repair and improvements to the drainage district, and that the Board of Supervisors on June 29th, 1965, did approve the report of the engineer and adopted the plan as tentative and said plan may be amended before final action.

For further particulars, see petition, reports and plans now on file in the office of the Auditor of Webster County, Iowa.

August 11, 1965, at 10:00 o'clock A. M. in the Webster County Courthouse, Fort Dodge, Iowa, has been set as the time and place for hearing on the petition, reports and plans affecting the said drainage district. All claims for damages, except claims for land required for right-of-way, and all objections for any reason, must be made in writing and filed in the Office of the County Auditor of Webster County before the time set for hearing, or at the time and place of hearing.

Charles A. Knudson
Webster County Auditor
(Pub. July 8, 15, 1965)

WEBSTER COUNTY BOARD OF SUPERVISORS
COUNTY COURTHOUSE
FORT DODGE, IOWA

AUGUST 20, 1965

NOTICE TO PROSPECTIVE BIDDERS - CONSTRUCTION

SEALED BIDS, IN SINGLE COPY, WILL BE RECEIVED AT THE WEBSTER COUNTY AUDITOR'S OFFICE, COURTHOUSE, FORT DODGE, IOWA, UNTIL 10:30 A.M., CENTRAL STANDARD TIME, WEDNESDAY, SEPTEMBER 15, 1965, AND THEN BE PUBLICLY OPENED AND READ FOR THE INSTALLATION OF NEW AND RELIEF TILE MAINS LOCATED WITHIN THE BEAVER WATERSHED (DRAINAGE DISTRICT #47), LOCATED APPROXIMATELY TWO (2) MILES SOUTHEAST OF HARCOURT, WEBSTER COUNTY, IOWA.

THE ESTIMATED QUANTITIES OF THE MAJOR ITEMS OF WORK ARE:

APPROXIMATELY 7.0 MILES OF TILE DRAINS FOR DRAINAGE INCLUDING APPROXIMATELY 52 LIN.FT. 42" DIAM. CORRUGATED IRON OR STEEL PIPE; 30,506 LIN.FT. EXTRA QUALITY DRAIN TILE VARYING IN SIZE FROM 8" TO 36" DIAM.; 5,548 LIN.FT. 1500 D DRAIN TILE VARYING IN SIZE FROM 18" TO 34" DIAM.; 608 LIN.FT. REINFORCED CONCRETE CULVERT PIPE VARYING IN SIZE FROM 12" TO 36" DIAM.; 29 SURFACE INLETS; 5 JUNCTION BOX EQUALIZERS; ONE SMALL ANIMAL GUARD; EXCAVATION, BACKFILL, AND OTHER INCIDENTAL WORK.

BIDS MUST BE ACCOMPANIED BY CERTIFIED CHECK, OR CASH IN THE AMOUNT OF TEN PERCENT (10%) OF THE AMOUNT BID, NOT TO EXCEED \$10,000.

THE SUCCESSFUL BIDDER WILL BE REQUIRED TO EXECUTE A FORMAL CONTRACT AND FURNISH PERFORMANCE AND PAYMENT BONDS IN AMOUNT OF 100% AND 50% RESPECTIVELY OF THE TOTAL AMOUNT OF THE CONTRACT.

A CONTRACT WILL NOT BE AWARDED TO A FIRM IN WHICH ANY OFFICIAL OF THE SPONSORING LOCAL ORGANIZATIONS, THE CONTRACTING LOCAL ORGANIZATION, OR ANY MEMBER OF SUCH OFFICIAL'S IMMEDIATE FAMILY HAS DIRECT OR INDIRECT INTEREST IN THE PECUNIARY PROFITS OR CONTRACTS OF SUCH FIRM.

ALL WORK SHALL BE COMPLETED WITHIN 380 CALENDAR DAYS AFTER THE DATE OF RECEIPT OF NOTICE TO PROCEED.

ARRANGEMENT TO INSPECT THE WORK SITE MAY BE MADE BY CONTACTING C. A. KNUDSON, COUNTY AUDITOR, COURTHOUSE, FORT DODGE, IOWA.

COMPLETE ASSEMBLY OF THE INVITATION FOR BIDS MAY BE OBTAINED FROM THE COUNTY AUDITOR'S OFFICE, COURTHOUSE, FORT DODGE, IOWA.

A PRE-BIDDERS' MEETING FOR PROSPECTIVE BIDDERS WILL BE HELD WEDNESDAY, SEPTEMBER 8, 1965. THE MEETING WILL BEGIN AT 10:00 A.M. IN THE BASEMENT MEETING ROOM, FEDERAL BUILDING, FORT DODGE, IOWA, AT WHICH TIME THE CONTENTS OF THE INVITATION FOR BIDS WILL BE REVIEWED. ENGINEERING PERSONNEL WILL BE PRESENT AT THIS MEETING.

NOTICE

A PRE-BIDDERS' MEETING FOR PROSPECTIVE BIDDERS WILL BE HELD WEDNESDAY, SEPTEMBER 8, 1965.

THE MEETING WILL BEGIN AT 10:00 A.M., IN THE BASEMENT MEETING ROOM, FEDERAL BUILDING, FORT DODGE, IOWA, AT WHICH TIME THE CONTENTS OF THE INVITATION FOR BIDS WILL BE REVIEWED. ENGINEERING PERSONNEL WILL BE PRESENT AT THIS MEETING.

INVITATION FOR BIDS

(Construction Contract)

BEAVER WATERSHED PROJECT

INVITATION NO. Ia-28-Web. Co.-1

LOCATED APPROXIMATELY TWO

DATE: AUGUST 20, 1965

(2) MILES SOUTHEAST OF

ISSUED BY THE CONTRACTING LOCAL
ORGANIZATION: WEBSTER COUNTY
BOARD OF SUPERVISORS (DRAINAGE
DISTRICT NO. 47)

HARCOURT, WEBSTER COUNTY,

IOWA.

Sealed bids, in single copy, for the work described herein will be received until 10:30 A.M., Central Standard Time, Wednesday, September 15, 1965, at the County Auditor's Office, Webster County Courthouse, Fort Dodge, Iowa, and at that time publicly opened.

The Contracting Officer for the Webster County Board of Supervisors is H. Andrew Schill, Attorney, Fort Dodge, Iowa. Arrangements for inspecting the work site may be made by contacting C. A. Knudson, County Auditor, County Courthouse, Fort Dodge, Iowa.

Bid security, in the amount of ten percent (10%) of the total bid price, not to exceed ten thousand dollars (\$10,000), must be submitted with each bid. Bid security may be in the form of cash or certified check. If a certified check is used, it must be drawn upon, and certified by, an Iowa bank, and made payable to the WEBSTER COUNTY AUDITOR or his order.

The successful bidder, upon execution of a formal contract, will be required to furnish to the Contracting Local Organization a PERFORMANCE BOND on Form SCS-161 and a PAYMENT BOND on Form SCS-160 in penal sums of not less than one hundred percent (100%) and fifty percent (50%), respectively, of the original amount of the contract.

DESCRIPTION OF WORK: Installation of new and relief tile mains in the Beaver Watershed, (Webster County Drainage District No. 47), involving the estimated quantities shown in the attached Bid Schedule.

The work shall be commenced within twenty (20) calendar days and be completed within three hundred eighty (380) calendar days after the date of receipt of Notice to Proceed.

NOTICE: The Bid Schedule, Special Provisions, General Provisions (SCS-43), Equal Opportunity Clause (SCS-85), Specifications, and Drawings listed under "Contents" will be incorporated in and become a part of the resultant contract.

C O N T E N T S

INVITATION FOR BIDS

INSTRUCTIONS TO BIDDERS (SCS-39)

SPECIAL INSTRUCTIONS TO BIDDERS (on reverse side of Contents)

BID FORM (SCS-151)

BID SCHEDULE

SPECIAL PROVISIONS

GENERAL PROVISIONS (SCS-43)

EQUAL OPPORTUNITY CLAUSE (SCS-85)

SPECIFICATIONS

<u>Number</u>	<u>Title</u>
200	CONCRETE (Rev. 5-10-63) with Amendment No. 1 (Beaver Watershed 1-14-65)
210	FURNISHING AND PLACING STEEL REINFORCEMENT (Rev. 12-1-58) with Amendment No. 1 (Beaver Watershed 1-14-65)
382-Ia.	DRAINAGE-DRAIN TILE (2-2-65)

DRAWINGS NO. 5, E-21, 046

P-1	Cover Sheet
P-2	Plan
P-3,4,5	Profiles
P-6	Details and Schedule of Surface Inlets
P-7,8,9	Junction Box Equalizers
P-10	Small Animal Guard Details for Tile Outlet

SPECIAL INSTRUCTIONS TO BIDDERS

1. The contract will be awarded on the basis of the total bid price, corrected as to extensions and addition.

INSTRUCTIONS TO BIDDERS
(Construction Contracts)
(PL-566)

1. Explanation to Bidders. Any explanation desired by a bidder regarding the meaning or interpretation of the invitation for bids, drawings, specifications, etc., must be requested in writing and with sufficient time allowed for a reply to reach bidders before the submission of their bids. Any interpretation made will be in the form of an addendum to the invitation for bids, drawings, specifications, etc., and will be furnished to all prospective bidders. Its receipt by the bidder must be acknowledged in the space provided on the addendum, on the bid form or by letter or telegram received before the time set for receiving bids. Oral explanations or instructions given before the award of the contract will not be binding.

2. Conditions Affecting the Work. Bidders should visit the site and take such other steps as may be reasonably necessary to ascertain the nature and location of the work, and the general and local conditions which can affect the work or the cost thereof. Failure to do so will not relieve bidders from responsibility for estimating properly the difficulty or cost of successfully performing the work. The Contracting Local Organization will assume no responsibility for any understanding or representations concerning conditions made by any of its officers or agents prior to the execution of the contract, unless included in the invitation for bids, the specifications, or related documents.

3. Bidder's Qualifications. Before a bid is considered for award, the bidder may be requested by the Contracting Local Organization to submit a statement regarding his previous experience in performing comparable work, his business

and technical organization, financial resources, and plant available to be used in performing the work.

4. Bid Guarantee. Failure to furnish a required bid guarantee in the proper form and amount, by the time set for receiving bids, may be cause for rejection of the bid.

A bid guarantee shall be in the form of a firm commitment, such as a bid bond, postal money order, certified check, cashier's check, or cash. Bid guarantees, other than bid bonds, will be returned (a) to unsuccessful bidders as soon as practicable after the opening of bids, and (b) to the successful bidder upon execution of such further contractual documents and bonds as may be required by the bid as accepted.

If the successful bidder withdraws his bid within the period specified therein for acceptance (sixty days if no period is specified) or, upon acceptance thereof by the Contracting Local Organization, fails to enter into the contract and give bonds within the time specified (ten days if no period is specified) after the forms are presented to him, he shall be liable for any difference by which the cost of procuring the work exceeds the amount of his bid, and the bid guarantee shall be available toward offsetting such difference.

5. Preparation of Bids. (a) Bids shall be submitted on the forms furnished, or copies thereof, and must be manually signed. If erasures or other changes appear on the forms, each erasure or change must be initialed by the person signing the bid. Unless specifically authorized in the invitation for bids, telegraphic bids will not be considered.

(b) The bid form may provide for submission of a price or prices, for one or more items, which may be lump sum bids, alternate prices, scheduled items resulting in a bid on a unit of construction or a combination thereof, etc. Where the bid form explicitly requires that the bidder bid on all items, failure to do so will disqualify the bid. When submission of a price on all items is not required, bidders should insert the words "no bid" in the space provided for any item on which no price is submitted.

(c) Unless called for, alternate bids will not be considered.

(d) Modification of bids already submitted will be considered if received at the place designated in the invitation for bids by the time set for receiving bids. Telegraphic modifications will be considered, but should not reveal the amount of the original or revised bid.

6. Submission of Bids. Bids must be sealed, marked and addressed as directed in the invitation for bids. Failure to do so may result in a premature opening of, or a failure to open, such bid.

7. Late Bids and Modifications or Withdrawals. CAUTION TO BIDDERS - Note particularly that late bids and modifications or withdrawals sent through the mails ordinarily will be considered ONLY IF TIMELY MAILED BY REGISTERED MAIL OR BY CERTIFIED MAIL FOR WHICH A POSTMARKED RECEIPT HAS BEEN OBTAINED.

(a) Bids and modifications or withdrawals thereof received at the office designated in the Invitation for Bids after the exact time set for opening of bids will not be considered unless: (1) They are received before award is made; and either (2) they are sent by registered mail or by certified mail for which an official dated post office stamp (postmark) on the original Receipt for Certified Mail has

been obtained, or by telegraph if authorized, and it is determined by the Contracting Local Organization that the late receipt was due solely to delay in the mails, or delay by the telegraph company, for which the bidder was not responsible; or (3) if submitted by mail (or by telegram if authorized), it is determined that the late receipt was due solely to mishandling by the Contracting Local Organization after receipt at the Contracting Local Organization installation: PROVIDED, That timely receipt at such installation is established upon examination of an appropriate date or time stamp (if any) of such installation, or of other documentary evidence of receipt (if readily available) within the control of such installation or the post office serving it. However, a modification which makes the terms of the otherwise acceptable bid more favorable to the Contracting Local Organization will be considered at any time it is received and may thereafter be accepted.

(b) Bidders using certified mail are cautioned to obtain a legibly postmarked dated Receipt for Certified Mail and retain it against the chance that the postmark thereon will be required as evidence that a late bid was timely mailed. If the postmark on such receipt, or on the registered mail wrapper, shows the hour of mailing as well as the date, the time of mailing shall be established accordingly; if it shows the date but not the hour, the time of mailing shall be deemed to be the last minute of the date shown unless the bidder furnishes evidence from the post office of mailing which, (1) in the case of registered mail, establishes an earlier time; or (2) in the case of certified mail, where the Receipt for Certified Mail identifies the post office station of mailing, establishes that the business day of that station ended at an earlier time, in which case the time of mailing shall be deemed to be the last minute of the business day of that station. If any such Receipt for Certified Mail does not show the date, the bid shall not be considered.

8. Withdrawal of Bids. Bids may be withdrawn on written or telegraphic request received from bidders prior to the time set for opening of bids.

9. Public Openings of Bids. Bids will be publicly opened at the time set for opening in the invitation for bids. Their content will be made public for the information of bidders and others interested who may be present either in person or by representative.

10. Award of Contract. (a) Award of contract will be made to that responsible bidder whose bid, conforming to the invitation for bids, is most advantageous to the Contracting Local Organization, price and other factors considered.

(b) The Contracting Local Organization may, when in its interest, reject any or all bids or waive any informality in bids received.

(c) The Contracting Local Organization may accept any item or combination of items of a bid, unless precluded by the invitation for bids or the bidder includes in his bid a restrictive limitation.

11. Contract, Bonds and Insurance. The bidder whose bid is accepted will, within the time established in the bid, enter into a written contract with the Contracting Local Organization, and if required, furnish performance and payment bonds on forms furnished by the Contracting Officer, in the amounts indicated in the invitation for bids or the specifications. The bidder whose bid is accepted will secure and maintain such insurance as is required by statute and/or ordinance.

12. Specifications. Specifications referred to herein shall include all revisions and amendments in effect on the date of issuance of the invitation for bids. Information as to where these specifications may be obtained can be acquired from the office issuing this invitation.

SCS-151
7-64

BID FORM
(CONSTRUCTION CONTRACT)

INVITATION NO. Ia-28-Web. Co.-1

Date August 20, 1965

NAME AND LOCATION OF PROJECT Beaver Watershed, located approximately two miles south-
east of Harcourt, Webster County, Iowa

TO: Webster County Board of Supervisors
Courthouse, Fort Dodge, Iowa

(Date)

In compliance with the above-dated invitation for bids, the undersigned hereby proposes to perform
all work for **installation of new and relief tile mains in the Beaver Watershed**
(Webster County Drainage District No. 47)

in strict accordance with the terms, conditions, instructions, provisions, schedules, specifications,
and drawings, for the following amount

Total Bid Price: _____ Dollars
(Words)

\$ _____
(Figures)

The undersigned agrees that, upon written acceptance of this bid, mailed or otherwise furnished
within _____ calendar days (60 calendar days unless a different period be inserted by the bidder)
after the date of opening of bids, he will within 10 calendar days (unless a longer period is
allowed) after receipt of the prescribed forms, execute Form SCS-410, Construction Contract, and
give performance and payment bonds on forms furnished by the Contracting Local Organization with
good and sufficient surety.

The undersigned agrees, if awarded the contract, to commence the work within 20 calendar days
after the date of receipt of notice to proceed, and to complete the work within 380 calendar days
after the date of receipt of notice to proceed.

Receipt of Addenda: The undersigned acknowledges receipt of the following addenda of the
invitation for bids, drawings, and/or specifications, etc. (Give number and date of each):

The bidder represents (Check appropriate boxes):

1. (a) That he ☐ has, ☐ has not, employed or retained any company or person (other than a
full-time bona fide employee working solely for the bidder) to solicit or secure this contract,
and (b) that he ☐ has, ☐ has not, paid or agreed to pay any company or person (other than a
full-time bona fide employee working solely for the bidder) any fee, commission, percentage
or brokerage fee, contingent upon or resulting from the award of this contract; and agrees to
furnish information relating to (a) and (b) above as requested by the Contracting Officer.

(For interpretation of the representation, including the term "bona fide employee" see Code
of Federal Regulations, Title 41, Subpart 1-1.5.)

2. That he operates as an ☐ individual, ☐ partnership, ☐ joint venture, ☐ corporation,
incorporated in the State of _____.
3. That he ☐ has, ☐ has not, participated in a previous contract or subcontract subject to
Executive Order 10925, and that he ☐ has, ☐ has not, filed all required compliance reports
and will obtain signed representations of such filing by proposed subcontractors prior to
subcontract awards.

(Continue on next page)

The undersigned certifies that no official of the Sponsoring Local Organizations, the Contracting Local Organization, or any member of such official's immediate family, has direct or indirect interest in the pecuniary profits or contracts of this firm.

CERTIFICATION OF NONCOLLUSION: (a) By submission of this bid or proposal, the bidder or offeror certifies in connection with this procurement that:

- (1) The price of this bid or proposal has been independently arrived at without collusion with any other bidder or offeror or with any competitor;
 - (2) Unless otherwise required by law, the price in this bid or proposal has not been knowingly disclosed and will not be knowingly disclosed prior to opening, in the case of a bid, or prior to award, in the case of a proposal, directly or indirectly to any other bidder or offeror or to any competitor; and
 - (3) No attempt has been or will be made to induce any other person or firm to submit or not to submit a bid or proposal.
- (b) The person signing this bid or proposal certifies that he has fully informed himself regarding the accuracy of the statements contained in this certification.
- (c) A bid or proposal will not be considered for award where (a)(1), (a)(3), or (b) above has been deleted or modified. Where (a)(2) above has been deleted or modified, the bid or proposal will not be considered for award unless the bidder or offeror furnishes with the bid or proposal a signed statement which sets forth in detail the circumstances of the disclosure and the head of the agency or his designee, determines that the disclosure was not made with collusive intent.

Enclosed is bid guarantee, consisting of

in the amount of

NAME OF BIDDER (Type or print)	FULL NAME OF ALL PARTNERS (Type or print)
BUSINESS ADDRESS (Type or print)	
BY (Signature in ink. Type or print name below signature)	
TITLE (Type or print)	

DIRECTIONS FOR SUBMITTING BIDS

Envelopes containing bids, guarantee, etc., must be sealed, marked, and addressed as follows:

Invitation for Bids No.
Ia-28-Web. Co.-1 for opening
Wednesday, September 15, 1965,
at 10:30 A.M., C.S.T.

C. A. Knudson
WEBSTER COUNTY AUDITOR
COURTHOUSE, FORT DODGE, IOWA

CAUTION: Bids should not be qualified by exceptions to the bidding conditions.

BEAVER WATERSHED

BID SCHEDULE

<u>Item No.</u>	<u>Work or Material</u>	<u>Quantity</u>	<u>Unit</u>	<u>Unit Price</u>	<u>Amount</u>
LOWER MAIN RELIEF					
1.	Corrugated Iron or Steel Pipe, Class I, Shape 1, Type A Coat- ing, 42" diam., 12 gage	52	Lin.Ft.	\$ _____	\$ _____
2.	Small Animal Guard	Sum	Job	\$ _____	\$ _____
3.	Extra-Quality Drain Tile, 36" diam.	3,948	Lin.Ft.	\$ _____	\$ _____
4.	Extra-Quality Drain Tile, 34" diam.	1,552	Lin.Ft.	\$ _____	\$ _____
5.	1500 D Drain Tile, 34" Diam.	300	Lin.Ft.	\$ _____	\$ _____
6.	Junction Box Equalizer No. 10	Sum	Job	xxx	\$ _____
7.	Junction Box Equalizer No. 11	Sum	Job	xxx	\$ _____
8.	Surface Inlet No. 1	Sum	Job	xxx	\$ _____
9.	Surface Inlet No. 2	Sum	Job	xxx	\$ _____
UPPER MAIN RELIEF					
10.	Extra-Quality Drain Tile, 32" diam.	1,100	Lin.Ft.	\$ _____	\$ _____
11.	1500 D Drain Tile, 32" diam.	800	Lin.Ft.	\$ _____	\$ _____
12.	Extra-Quality Drain Tile, 22" diam.	2,860	Lin.Ft.	\$ _____	\$ _____
13.	1500 D Drain Tile, 22" diam.	1,948	Lin.Ft.	\$ _____	\$ _____
14.	Extra-Quality Drain Tile, 18" diam.	1,900	Lin.Ft.	\$ _____	\$ _____
15.	Extra-Quality Drain Tile, 12" diam.	180	Lin.Ft.	\$ _____	\$ _____
16.	Reinforced Concrete Culvert Pipe, Class III, 36" diam.	100	Lin.Ft.	\$ _____	\$ _____

(Continued)

BEAVER WATERSHED
BID SCHEDULE (Continued)

<u>Item No.</u>	<u>Work or Material</u>	<u>Quantity</u>	<u>Unit</u>	<u>Unit Price</u>	<u>Amount</u>
17.	Reinforced Concrete Culvert Pipe, Class III, 24" diam.	92	Lin.Ft.	\$ _____	\$ _____
18.	Reinforced Concrete Culvert Pipe, Class III, 24" diam. (Tileline Equalizer No. 1)	60	Lin.Ft.	\$ _____	\$ _____
19.	Reinforced Concrete Culvert Pipe, Class III, 12" diam. (Tileline Equalizer No. 2)	68	Lin.Ft.	\$ _____	\$ _____
20.	Extra-Quality Drain Tile, 8" diam. (Tileline Equalizer No.3)	34	Lin.Ft.	\$ _____	\$ _____
21.	Junction Box Equalizer No. 12	Sum	Job	xxx	\$ _____
22.	Surface Inlet No. 3	Sum	Job	xxx	\$ _____
23.	Surface Inlet No. 4	Sum	Job	xxx	\$ _____
24.	Surface Inlet No. 5	Sum	Job	xxx	\$ _____
25.	Surface Inlet No. 6	Sum	Job	xxx	\$ _____
26.	Surface Inlet No. 7	Sum	Job	xxx	\$ _____
27.	Surface Inlet No. 8	Sum	Job	xxx	\$ _____
28.	Surface Inlet No. 9	Sum	Job	xxx	\$ _____
29.	Surface Inlet No. 10	Sum	Job	xxx	\$ _____
30.	Surface Inlet No. 11	Sum	Job	xxx	\$ _____
31.	Surface Inlet No. 12	Sum	Job	xxx	\$ _____
32.	Surface Inlet No. 13	Sum	Job	xxx	\$ _____

LATERAL 1 RELIEF

33.	Extra-Quality Drain Tile, 26" diam.	752	Lin.Ft.	\$ _____	\$ _____
34.	1500 D Drain Tile, 26" diam.	1,500	Lin.Ft.	\$ _____	\$ _____
35.	Extra-Quality Drain Tile, 24" diam.	700	Lin.Ft.	\$ _____	\$ _____
36.	1500 D Drain Tile, 24" diam.	600	Lin.Ft.	\$ _____	\$ _____

(Continued)

BEAVER WATERSHED
BID SCHEDULE (Continued)

<u>Item No.</u>	<u>Work or Material</u>	<u>Quantity</u>	<u>Unit</u>	<u>Unit Price</u>	<u>Amount</u>
37.	Extra-Quality Drain Tile, 18" diam.	1,400	Lin.Ft.	\$ _____	\$ _____
38.	Reinforced Concrete Culvert Pipe, Class III, 30" diam.	48	Lin.Ft.	\$ _____	\$ _____
39.	Extra-Quality Drain Tile, 8" diam. (Tileline Equalizer No. 4)	40	Lin.Ft.	\$ _____	\$ _____
40.	Extra-Quality Drain Tile, 8" diam. (Tileline Equalizer No. 5)	102	Lin.Ft.	\$ _____	\$ _____
41.	Surface Inlet No. 14	Sum	Job	xxx	\$ _____
42.	Surface Inlet No. 15	Sum	Job	xxx	\$ _____
43.	Surface Inlet No. 16	Sum	Job	xxx	\$ _____
44.	Surface Inlet No. 17	Sum	Job	xxx	\$ _____
LATERAL 1-A					
45.	Extra-Quality Drain Tile, 6" diam.	60	Lin.Ft.	\$ _____	\$ _____
LATERAL 1-B					
46.	Extra-Quality Drain Tile, 8" diam.	60	Lin.Ft.	\$ _____	\$ _____
LATERAL 1-C					
47.	Extra-Quality Drain Tile, 12" diam.	400	Lin.Ft.	\$ _____	\$ _____
48.	Extra-Quality Drain Tile, 10" diam.	400	Lin.Ft.	\$ _____	\$ _____
49.	Extra-Qualtiy Drain Tile, 8" diam.	1,486	Lin.Ft.	\$ _____	\$ _____
50.	Reinforced Concrete Culvert Pipe, Class III, 12" diam.	48	Lin.Ft.	\$ _____	\$ _____
51.	Surface Inlet No. 18	Sum	Job	xxx	\$ _____
52.	Surface Inlet No. 19	Sum	Job	xxx	\$ _____
53.	Surface Inlet No. 20	Sum	Job	xxx	\$ _____

(Continued)

BEAVER WATERSHED
BID SCHEDULE (Continued)

<u>Item No.</u>	<u>Work or Material</u>	<u>Quantity</u>	<u>Unit</u>	<u>Unit Price</u>	<u>Amount</u>
LATERAL A					
54.	Extra-Quality Drain Tile, 16" diam.	1,248	Lin.Ft.	\$ _____	\$ _____
55.	Extra-Quality Drain Tile, 14" diam.	662	Lin.Ft.	\$ _____	\$ _____
56.	Reinforced Concrete Culvert Pipe, Class III, 18" diam.	52	Lin.Ft.	\$ _____	\$ _____
57.	Surface Inlet No. 21	Sum	Job	xxx	\$ _____
58.	Surface Inlet No. 22	Sum	Job	xxx	\$ _____
59.	Surface Inlet No. 23	Sum	Job	xxx	\$ _____
LATERAL 2 RELIEF					
60.	Extra-Quality Drain Tile, 18" diam.	122	Lin.Ft.	\$ _____	\$ _____
61.	Extra-Qualtiy Drain Tile, 16" diam.	4,400	Lin.Ft.	\$ _____	\$ _____
62.	Extra-Quality Drain Tile, 12" diam.	948	Lin.Ft.	\$ _____	\$ _____
63.	Reinforced Concrete Culvert Pipe, Class III, 18" diam.	52	Lin.Ft.	\$ _____	\$ _____
64.	Reinforced Concrete Culvert Pipe, Class III, 12" diam.	48	Lin.Ft.	\$ _____	\$ _____
65.	Extra-Quality Drain Tile, 10" diam. (Tileline Equalizer No. 6)	200	Lin.Ft.	\$ _____	\$ _____
66.	Extra-Quality Drain Tile 8" diam. (Tileline Equalizer No. 7)	44	Lin.Ft.	\$ _____	\$ _____
67.	Junction Box Equalizer No. 13	Sum	Job	xxx	\$ _____
68.	Surface Inlet No. 24	Sum	Job	xxx	\$ _____
69.	Surface Inlet No. 25	Sum	Job	xxx	\$ _____
70.	Surface Inlet No. 26	Sum	Job	xxx	\$ _____

(Continued)

BEAVER WATERSHED
BID SCHEDULED (Continued)

<u>Item</u> <u>No.</u>	<u>Work or Material</u>	<u>Quantity</u>	<u>Unit</u>	<u>Unit</u> <u>Price</u>	<u>Amount</u>
71.	Surface Inlet No. 27	Sum	Job	xxx	\$_____
LATERAL 3 RELIEF					
72.	Extra-Quality Drain Tile, 24" diam.	1,200	Lin.Ft.	\$_____	\$_____
73.	Extra-Quality Drain Tile, 20" diam.	2,550	Lin.Ft.	\$_____	\$_____
74.	Extra-Quality Drain Tile, 18" diam.	550	Lin.Ft.	\$_____	\$_____
75.	1500 D Drain Tile, 18" diam.	400	Lin.Ft.	\$_____	\$_____
76.	Extra-Quality Drain Tile, 14" diam.	1,060	Lin.Ft.	\$_____	\$_____
77.	Extra-Quality Drain Tile, 8" diam.	456	Lin.Ft.	\$_____	\$_____
78.	Reinforced Concrete Culvert Pipe, Class III, 15" diam.	40	Lin.Ft.	\$_____	\$_____
79.	Extra-Quality Drain Tile, 8" diam. (Tileline Equalizer No. 8)	20	Lin.Ft.	\$_____	\$_____
80.	Extra-Quality Drain Tile, 8" diam. (Tileline Equalizer No. 9)	72	Lin.Ft.	\$_____	\$_____
81.	Junction Box Equalizer No. 14	Sum	Job	xxx	\$_____
82.	Surface Inlet No. 28	Sum	Job	xxx	\$_____
83.	Surface Inlet No. 29	Sum	Job	xxx	\$_____
GRAND TOTAL BID					\$_____

SPECIAL PROVISIONS

1. HOURS OF WORK

A work week comprising six ten-hour days (Monday through Saturday, excepting Holidays) was used as the basis for setting the performance time. The Contractor shall obtain prior approval of the Contracting Officer to perform work under this contract other than during such work days and/or hours. No work will be permitted on Sundays or the following Holidays: New Year's Day, Washington's Birthday, Memorial Day, Independence Day, Labor Day, Veterans' Day, Thanksgiving Day, and Christmas Day. (Special construction operations of short duration which must be carried through to completion, such as pouring concrete or pumping, are excluded from the above requirements).

2. LIQUIDATED DAMAGES

If the work, or any part thereof, is not completed within the time agreed upon in this contract or any extension thereof, the Contractor shall be liable to the Contracting Local Organization in the amount of \$86.00 per day for each and every calendar day the completion of the work is delayed beyond the time provided in this contract, as fixed and agreed liquidated damages and not as a penalty; and the Contracting Local Organization shall have the right to deduct from and retain out of moneys which may be then due or which may become due and payable to the Contractor, the amount of such liquidated damages; and if the amount so retained by the Contracting Local Organization is insufficient to pay in full such liquidated damages, the Contractor shall pay to the Contracting Local Organization the amount necessary to effect payment in full of such liquidated damages.

3. SEASONAL SHUTDOWN

It is anticipated that all work under this contract will be suspended during the winter from approximately December 15 to approximately April 1. Nothing provided in this Special Provision shall excuse the Contractor from proceeding with the prosecution of the work until a written suspend work order is issued by the Contracting Officer. Resume work orders will be issued by the Contracting Officer in accordance with Clause 26 of the General Provisions. The Contracting Officer will determine when conditions will permit resumption of work and will notify the Contractor at least seven calendar days before work is to be resumed.

4. PAYMENTS TO CONTRACTOR

Sections 7 (c) and 7 (e) of Clause 7, PAYMENTS TO CONTRACTOR, General Provisions (SCS-43), are cancelled. The following sections shall apply in lieu thereof:

7. (c) In making such progress payments, there shall be retained 10 percent of the estimated amount until at least 30 days after final completion and acceptance of the contract work. Payments shall be in the form of drainage warrants in accordance with Chapter 455, Levee & Drainage Districts, Code of Iowa, as amended.

(over)

7. (e) Upon completion and acceptance of all work, the amount due the contractor under this contract, except the retained percentage, shall be paid upon the presentation of a properly executed voucher and after the Contractor shall have furnished the Contracting Local Organization with a release of all claims against the Contracting Local Organization arising by virtue of this contract, other than claims in stated amounts as may be specifically excepted by the Contractor from the operation of the release. If the Contractor's claim to amounts payable under the contract has been assigned, a release of such claims shall also be required of the assignee. The retained percentage shall be paid in accordance with Chapter 455, Levee & Drainage Districts, Code of Iowa, as amended.

5. INSPECTION AND ACCEPTANCE

Section (a) of Clause 9. INSPECTION AND ACCEPTANCE, of General Provisions (SCS-43) is hereby amended by the addition of the following:

9. (a) Extra Quality Drain Tile (Concrete and/or Clay), 1500 D Drain Tile, Reinforced Concrete Culvert Pipe, and other materials shall be inspected and tested by methods prescribed in the applicable ASTM Standard Specifications (Designations) or other Specifications. Wherever the word "purchaser" appears in said Specification, the words "Contracting Local Organization" shall be substituted in lieu thereof and wherever the word "seller" appears in said Specifications, the word "Contractor" shall be substituted in lieu thereof.

6. MATERIALS TO BE FURNISHED BY THE CONTRACTOR

Section (b) of Clause 18, MATERIALS TO BE FURNISHED BY THE CONTRACTOR, of General Provisions (SCS-43) is cancelled. The following section shall apply in lieu thereof:

18. (b) The Contractor shall furnish the Contracting Local Organization with certifications dated and signed by the manufacturer and/or supplier to the effect that the items listed therein meet the requirements of this contract. Such certifications shall be furnished prior to the use of the material in any part of the construction and shall include the manufacturer's or supplier's name and address; the contractor's name and address; site designation(s); watershed name; contract number; bid schedule item number(s); quantity of material furnished; description of material furnished; applicable specification(s) and the following statement "I hereby certify that these items or materials do meet or are equal to the requirement(s) as set forth in the drawings and/or specifications of the contract".

The Contractor shall furnish said certifications for the following items and/or materials:

1. Standard Strength Clay Sewer Pipe (if used)
2. Corrugated Iron or Steel Pipe
3. Portland Cement
4. Steel Reinforcement
5. Pre-Cast Reinforced Concrete Junction Box top slabs

(Continued)

SPECIAL PROVISIONS (Continued)

6. MATERIALS TO BE FURNISHED BY THE CONTRACTOR (Continued)

The Contractor shall also furnish certifications for all Extra Quality Drain Tile, 1500 D Drain Tile, & Reinforced Concrete Culvert Pipe, said certifications to include, in addition to the information required above, the manufacturer's certified statement of results of typical external crushing strength tests and absorption tests performed on tile or pipe of equivalent design and composed of equivalent materials. Certifications shall show date typical tests were performed and statement that said tests were performed in accordance with the applicable ASTM Standard Specifications (Designations). Results of typical tests shall be certified for at least one diameter size in each of the following diameter size groupings:

Extra Quality Drain Tile

1. 6" diam. to 10" diam. inclusive
2. 12" diam. to 16" diam. inclusive
3. 18" diam. to 22" diam. inclusive
4. 24" diam. to 26" diam. inclusive
5. 32" diam. to 36" diam. inclusive

1500 D Drain Tile

1. 18" diam. to 22" diam. inclusive
2. 24" diam. to 26" diam. inclusive
3. 32" diam. to 34" diam. inclusive

Reinforced Concrete Culvert Pipe

1. 12" diam. to 24" diam. inclusive
2. 30" diam. to 36" diam. inclusive

The need for certifications for materials to be furnished as a result of contract modifications will be determined at the time said modifications are issued.

7. SURVEYS

Clause 25, SURVEYS, of General Provisions (SCS-43) is amended by the addition of the following section:

25. (e) Staking the work by the Contracting Local Organization shall consist of providing stakes indicating alignment and depth of cut at 100 foot intervals or closer as deemed necessary by the Engineer.